

Part-No.	Description	Price €
----------	-------------	---------

PLC-ANALYZER pro 6

One tool – everything under control

ANA6000E	PLC-ANALYZER pro 6 - base module1.275,00 Software logic-analyzer for fault diagnosis, optimization, analysis and long-term recording for different PLC-systems. Video recording time-synchronous to process data (optional). Windows 7/8/10 (32/64-Bit). USB-LicenseKey Dongle, Manual, multi language (English/German) <i>In addition to the base module at least one PLC-driver is necessary</i>
ANA6000ZE	Additional license for an additional workplace (same as ANA6000E)965,00
ANA6240E	PLC-driver Siemens SIMATIC S7 / TIA ¹ - Ethernet TCP/IP / PROFINET, cycle precise ²635,00
ANA6240ZE	Additional license for an additional workplace (same as ANA6240E)475,00
ANA6230E	PLC-driver Siemens SIMATIC S7 / TIA ¹ - MPI/PPI + PROFIBUS, cycle precise ²635,00
ANA6230ZE	Additional license for an additional workplace (same as ANA6230E)475,00
ANA6340E	PLC-driver Siemens SIMATIC S5 / SINUMERIK - PG-Interface, cycle precise ² / Ethernet TCP/IP635,00
ANA6340ZE	Additional license for an additional workplace (same as ANA6340E)475,00
ANA6310E	PLC-driver Siemens LOGO! - PG-Interface / Ethernet TCP/IP445,00
ANA6310ZE	Additional license for an additional workplace (same as ANA6310E)340,00
ANA6260E	PLC-driver Siemens SIMOTION C/P/D - MPI/PROFIBUS/Ethernet TCP/IP, servo-cycle precise695,00
ANA6260ZE	Additional license for an additional workplace (same as ANA6260E)545,00
ANA6270E	PLC-driver CoDeSys - Ethernet TCP/IP695,00
ANA6270ZE	Additional license for an additional workplace (same as ANA6270E)545,00
ANA6500E	PLC-driver BECKHOFF TwinCAT - Recording of TwinCAT-variables695,00
ANA6500ZE	Additional license for an additional workplace (same as ANA6500E)545,00
ANA6280E	OPC UA Driver - Recording of data from OPC UA servers695,00
ANA6280ZE	Additional license for an additional workplace (same as ANA6280E)545,00
ANA6140E	PLC-driver B&R - serial / Ethernet TCP/IP635,00
ANA6140ZE	Additional license for an additional workplace (same as ANA6140E)475,00
ANA6750E	PLC-driver PILZ PSS / PNOZ - programming interface635,00
ANA6750ZE	Additional license for an additional workplace (same as ANA6750E)475,00
ANA6780E	PLC-driver PILZ PSS / PNOZ - Ethernet TCP/IP695,00
ANA6780ZE	Additional license for an additional workplace (same as ANA6780E)545,00
ANA6610E	PLC-driver Allen-Bradley ControlLogix / PLC / SLC - DF1, DH+, DH-485635,00
ANA6610ZE	Additional license for an additional workplace (same as ANA6610E)475,00
ANA6640E	PLC-driver Allen-Bradley Compact/ControlLogix / PLC / SLC - Ethernet TCP/IP635,00
ANA6640ZE	Additional license for an additional workplace (same as ANA6640E)475,00
ANA6180E	PLC-driver PHOENIX - Ethernet TCP/IP, cycle precise ²695,00
ANA6180ZE	Additional license for an additional workplace (same as ANA6180E)545,00
ANA6910E	PLC-driver BOSCH CL - programming interface (BUEP19E)635,00
ANA6910ZE	Additional license for an additional workplace (same as ANA6910E)475,00
ANA6130E	PLC-driver GE Fanuc Series 90 / VersaMax / Nano / Micro - programming interface (SNP)445,00
ANA6130ZE	Additional license for an additional workplace (same as ANA6130E)340,00
ANA6135E	PLC-driver GE Fanuc CNC / PMC - Ethernet TCP/IP / HSSB635,00
ANA6135ZE	Additional license for an additional workplace (same as ANA6135E)475,00
ANA6136E	PLC-driver Fanuc R-30i / R-J3i - Ethernet TCP/IP635,00
ANA6136ZE	Additional license for an additional workplace (same as ANA6136E)475,00
ANA6170E	PLC-driver OMRON C / CV / CS1 / NJ / NX / NY / CJ2 - progr. interface (Host Link) / Ethernet TCP/IP695,00
ANA5170ZE	Additional license for an additional workplace (same as ANA6170E)545,00
ANA6711E	PLC-driver MITSUBISHI MELSEC Q / L / A / FX - programming interface445,00
ANA6711ZE	Additional license for an additional workplace (same as ANA6711E)340,00

¹ TIA compatible, also suitable for SIMATIC C7, M7, SINUMERIK (S7), SAIA xx7, VIPA S7, S7-PLCSIM ² depending on PLC type

Part-No.	Description	Price €
ANA6740E	PLC-driver MITSUBISHI MELSEC Q / L / A / FX - Ethernet TCP/IP	695,00
ANA6740ZE	Additional license for an additional workplace (same as ANA6740E)	545,00
ANA6410E	PLC-driver Schneider Modicon TSX Quantum / Momentum / Compact - Modbus I / Modbus+	635,00
ANA6410ZE	Additional license for an additional workplace (same as ANA6410E)	475,00
ANA6440E	PLC-driver Schneider Modicon TSX Quantum / Momentum / Compact / M - Modbus TCP/IP	695,00
ANA6440ZE	Additional license for an additional workplace (same as ANA6440E)	545,00
ANA6470E	PLC-driver Schneider Modicon TSX Premium / Atrium / Micro / Nano - TCP/IP / Uni-Telway	445,00
ANA6470ZE	Additional license for an additional workplace (same as ANA6470E)	340,00
ANA6430E	PLC-driver Schneider AEG TSX A250 / A120 / Micro - programming interface (KS).....	445,00
ANA6430ZE	Additional license for an additional workplace (same as ANA6430E)	340,00
ANA6120E	PLC-driver Selectron - Ethernet TCP/IP	695,00
ANA6120ZE	Additional license for an additional workplace (same as ANA6120E)	545,00
ANA6790E	PLC-driver Jetter JetControl / Delta / Nano - Serial / Jetway / PC-PPLC / Ethernet TCP/IP	635,00
ANA6790ZE	Additional license for an additional workplace (same as ANA6790E)	475,00
ANA6730E	PLC-driver HITACHI H / EH-150 / Micro-EH - programming interface / Ethernet TCP/IP.....	635,00
ANA6730ZE	Additional license for an additional workplace (same as ANA6730E)	475,00
ANA6600E	Video track module for PLC-ANALYZER pro 6 - Bundle	749,00
	Software connection for IP / GigE Vision / USB cameras for time-synchronous video track in PLC-ANALYZER pro 6. Bundle incl. USB camera: Full HD resolution 1.920 x 1.080 pixels, autofocus and manual focus, USB, pan/tilt/zoom function, universal mounting bracket	
ANA6650E	Video track module for PLC-ANALYZER pro 6	635,00
	Software connection for all common types of IP / GigE Vision / USB cameras for time-synchronous video track in PLC-ANALYZER pro 6	
ANA6800E	Virtual HMI module for PLC-ANALYZER pro 6.....	695,00
	Improved analysis of operating sequences through subsequent HMI visualization from recorded process data. Live HMI visualization also possible. Helpful in clarifying plant accidents (e.g. crane), especially when operating personnel are involved. Also for training and optimization purposes in plant operation. Integrated editor with all common control and display elements	
ANA6510E	AD_USB-Box® for PLC-ANALYZER pro - Bundle	749,00
	Hardware for recording up to 8 analog and 20 digital external measured values, ready for installation for each PC with USB port, inclusive Expansion Unit, cable connection and software	
ANA6525E	4 - 20 mA Current Loop Converter ET420 for 4 channels	95,00
	Hardware extension for transforming four 4-20 mA signals to four independent 1-5 VDC outputs. The board provides individually protected 24 VDC power supply for each current loop. Simple, straightforward wiring and mounting	
ANA6050E	Rent license PLC-ANALYZER pro 6.....	please call ☎
	Base module PLC-ANALYZER pro with a PLC driver of your choice	
ANA6UxxE	UPGRADE to PLC-ANALYZER pro 6.....	please call ☎
	from a previous version	

☎ The purchase and use of additional licenses require the presence of the primary license. Delivery will be made for an existing USB-LicenseKey Dongle

Part-No.	Description	Price €
----------	-------------	---------

BLACKBOX 3 with **PLC-ANALYZER pro 6**
PLC long-term recording - compact and incorruptible

ANA9610E	BLACKBOX 3 - Bundle SIMATIC S7 / TIA - Ethernet TCP/IP / PROFINET3.970,00 Ultra compact fanless Mini-PC for long-term process data recording and remote service; plug for 9 - 30 VDC power supply, ext. power supply 100 - 240 VAC, LAN patch cable (3 m) for remote-service via PC, remote PWR plug, LIFE-INDICATOR plug, DIN rail mounting adapter, Windows 10 pro (64-Bit) (multi-language), including BLACKBOX-License PLC-ANALYZER pro 6 with PLC-driver Siemens SIMATIC S7 - Ethernet TCP/IP / PROFINET software installed and ready for operation, 12 month warranty	
ANA9615E	BLACKBOX 3 - Bundle SIMATIC S7 / TIA - MPI/PROFIBUS4.335,00 same as ANA9610E, but with alternative PLC coupling Highspeed USB - S7 adapter and alternative PLC-driver Siemens SIMATIC S7 - MPI/PPI/PROFIBUS	
	➔ BLACKBOX configurations with other or several PLC drivers on request	
UPS24MFE	Special-UPS 24 V DC (maintenance free) for BLACKBOX 3.....349,00 Protects the BLACKBOX against failure of the 24 V DC power supply. If the power supply fails for a longer period of time, the BLACKBOX is automatically shut down in a controlled manner and automatically restarted when the power supply returns; mounting on 35 mm DIN rail, input 24 V DC (22 ~ 29 V), output 24 V DC, incl. software and USB cable, configured ready-to-run when ordered with BLACKBOX 3	
LTE1000E	4G LTE-Modem for BLACKBOX 3279,00 Mini PCIe module integrated in BLACKBOX. Operating modes: LTE / HSPA+ / HSPA / UMTS / EGDE / GPRS / GSM with GSM-UMTS-LTE folding antenna, SMA connector; incl. assembling, software installation and configuration. Frequency bands Europe / Australia (other regions on request)	
WIF1010E	WLAN-AC USB Nano Adapter for BLACKBOX 3.....38,00 IEEE 802.11 ac/n/g/a, 2,4 GHz and 5 GHz, WPA/WPA2, Wi-Fi Protected Setup (WPS) Push-Button for fast connection to WLAN network	

Accessories for **PLC-ANALYZER pro 6 / BLACKBOX 3**

ANA1600E	Highspeed USB - S7 MPI / PROFIBUS Adapter379,00 Flexible alternative to all MPI/PROFIBUS CPs. For S7-200, S7-300, S7-400. Support for all common SIMATIC Engineering Tools. Connected directly to S7-CPU and via USB-cable (plug type A) with a PC/PG. MPI/PPI/PROFIBUS up to 12 Mbps, automatic baud rate detection, USB 2.0 up to 480 Mbps (Highspeed), power supply via USB, electrical isolation, PG female connector looped through, incl. driver software and configuration tool, length 3 m	
ANA1650E	S7 LAN (Ethernet gateway for MPI/PPI and PROFIBUS)399,00 S7 Ethernet-connection without expensive communication-processor. MPI/PPI/PROFIBUS-connection to S7-200, S7-300, S7-400 - 10/100 Base TX RJ45- ethernet plug, S7-sided 9,6 kBaud .. 12 MBaud, electrical isolation, power supply from the S7-PLC or ext. 24 V connection, PG female connector looped through, incl. driver software	
ANA1530E	USB-Connection PC - SIMATIC S5125,00 Programming cable for connecting a SIMATIC S5 via USB interface. USB male Type A for PC, incl. driver software, cable length 3m, special length available on request	
ANA1540E	S5 LAN (Ethernet gateway for S5 programming interface)390,00 S5 Ethernet-connection without expensive communication-processor. Connect one to programming-interface S5 and the other end (RJ45-plug) to 10/100 MBit Ethernet TCP/IP, virtual COM-port on PC-site by supplied driver software PLC-(Multi)VCOM	
ANA1555E	USB Schneider Modbus+ coupling (TSXCUSBMP)1.269,00 for connecting a PC / Notebook to Modbus+ via USB interface	

➔ Other PLC connections / interface-cables on request.

Part-No.	Description	Price €
----------	-------------	---------

PROFIBUS-Tester V5

Test of bus physics, communication and cabling with one device: „All-in-one“

APT5005E	PROFIBUS-Tester V53.980,00 Test of bus physics & communication with only one device: "All-in-one" incl. cable test and oscilloscope-function. For installation, commissioning, inspection, troubleshooting and service. Complete service package in a practical aluminium case: PROFIBUS-Tester V5 with built-in three-cell lithium-ion battery, wide-range power supply for Europe and USA, D-Sub PROFIBUS adapter cable, USB cable 3m, terminal block for trigger input/output, PC-software "PROFIBUS-Diagnostics Suite" on CD, user manual, "getting started" guide, 24 month warranty
APT5030E	License Oscilloscope-Function for PROFIBUS-Tester V5.....350,00 Functional extension for PROFIBUS-Tester V5. Signal display like oscilloscope in stand-alone mode without a PC. License is bound to serial number of the device. When ordering, please specify serial number and if applicable the existing license key of a PA option.
APT5010E	PROFIBUS-PA Adapter490,00 enables the measurement of PROFIBUS-PA networks with PROFIBUS-Tester V5
APT5020E	Reaction optimized PROFIBUS D-Sub adapter cable160,00 especially for measurement during operation
APT5050E	Adapterset for M12- connection technology165,00 connecting field devices with M12-connectors, incl. terminating resistor
APT5070E	Digital Leakage Current Clamp395,00 Detection of improper shield currents resulting from earthing, equipotential bonding or EMC problems, 40 – 1,000 Hz, MIN/MAX, DATA HOLD, ever-ready case, measuring cables (fits in empty compartment of aluminum case for PROFIBUS-Tester V5)
APT5085E	5 pcs. D-Sub-service adapter PROFIBUS-DP525,00 The D-sub service interface provides an access point for testing PROFIBUS networks if the existing D-sub connectors have no service socket or if bus stations are connected via a terminal block. It is rail mounted like a terminal block and supplied with 24 VDC by an external power source, 90° angled PROFIBUS connector with screw terminal technology and a switchable terminating resistor included
APT5095E	1 pc. M12- service adapter PROFIBUS-DP105,00 M12 T-connector (IP68), sealing cap for service jack of T-piece and 1 m PROFIBUS-DP cable with M12-jack/plug

Prices and terms of delivery

- All prices are net prices in EURO excl. VAT
- Delivery terms: EXW Emden (extra charges for shipping and handling)
- Payment terms: invoice 14 days net
- AUTEM will not accept to take over any bank fees! Full assumption of costs by customer.
- Payment by bank wire transfer requires an additional € 30,00 processing fee for our bank
- Checks requires a surcharge of € 30,00. Don't forget to pay the processing fee of your local bank
- Ask for our special conditions for non-commercial institutions of training and education (certificate required)
- Warranty for products is 12 month, if not specified otherwise
- Older price lists are null and void with appearing of this price list
- Errors and omissions excepted. Subject to change without notice